

Michigan Collaborative Standardization of Compounded Oral Liquids

Drug name:	Cyclophosphamide	Dosage Form:	Suspension
Concentration:	10 mg/ml	Shelf Life:	56 days
Route:	Oral	Storage:	Refrigerate or Room temp
Volume:	200 ml	Auxiliary Labeling:	Shake Well

Ingredients	QS	Quantity	Units
Cyclophosphamide 2 gram injection, USP		2	gm
0.9% Sodium chloride for injection		100	mLs
Simple Syrup, NF	Y	100	mLs

Directions:

1. Reconstitute cyclophosphamide 2 gram injection, USP with 100 mLs of 0.9% Sodium chloride solution for a resulting solution of 20 mg/mL.
2. Add simple syrup in geometric portions with constant stirring.
3. Transfer to bottle.

Notes:

- Formulation requires injectable Cyclophosphamide and 0.9% Sodium chloride.

References:

- Kennedy R, Groepper D, Tagen M, Christensen R, et al. Ann Pharmacother. 2010; 44: 295-301.

Reviewed: April 2013; SC\JR

The information provided on this site is only to be used for educational and informational purposes only. It may not be relied upon to direct or provide care to a patient, or to prepare treatments for a patient. This material is not intended as a substitute for retaining and consulting appropriate medical and health care professionals, who remain solely responsible to provide and direct patient care. Be aware that the information contained on this site may not be up to date due to more recent medical developments. The preparation, dispensing, and administration of pharmaceuticals is and remains the responsibility of licensed medical professionals or pharmacists, and may require governmental approvals. The owner and provider of this site disclaims and assumes no liability for any injury and/or damage to persons from use of any information contained on this site.
