

# Michigan Collaborative Standardization of Compounded Oral Liquids

---

**Drug name:** Lisinopril

**Concentration:** 2 mg/mL

**Route:** Oral

**Volume:** 120 mL

**Dosage Form:** Suspension

**Shelf Life:** 30 days

**Storage:** Room Temp

**Auxiliary Labeling:** Shake Well

Ingredients	QS	Quantity	Units
Lisinopril 5 mg tablets		48	tablets
Distilled water		20	mL
Simply syrup	X	120	mL

## Directions:

1. Crush tablets in a mortar and grind into a fine powder.
2. Wet the powder with the smallest amount of distilled water as possible forming a smooth uniform paste.
3. Continue adding vehicle geometrically until almost final volume, mixing well.
4. Rinse mortar with vehicle and add rinse to graduate.
5. Add QS of vehicle to final volume (120 mL).

## References:

- Rose DJ, Webster AA, English BA, McGuire JM. Stability of lisinopril syrup (2 mg/mL) extemporaneously compounded from tablets. IJPC 200; 4(5) 398-99.

Reviewed: September 27, 2013; SC/ME

The information provided on this site is only to be used for educational and informational purposes only. It may not be relied upon to direct or provide care to a patient, or to prepare treatments for a patient. This material is not intended as a substitute for retaining and consulting appropriate medical and health care professionals, who remain solely responsible to provide and direct patient care. Be aware that the information contained on this site may not be up to date due to more recent medical developments. The preparation, dispensing, and administration of pharmaceuticals is and remains the responsibility of licensed medical professionals or pharmacists, and may require governmental approvals. The owner and provider of this site disclaims and assumes no liability for any injury and/or damage to persons from use of any information contained on this site.

